


Model Content Export

Table of content:

DIBA: Data Workflow Brands - OFFLINE

DIBA: Data Workflow Brands - OFFLINE

In process DIBA: Data Workflow Brands - OFFLINE 1.1 Powered by ADOxx 06.07.2015, 16:33:40



Edit the model attributes to display your copyright info
 Powered by ADOxx
www.adoxx.org

Instances

Start(Start Event)

Position	STRING	NODE x:2cm y:4.5cm index:1
External tool coupling	STRING	
Time period	ENUMERATION	Per year
Abandon after tolerance waiting time	ENUMERATION	no
Tolerance waiting time	TIME	00:000:00:00:00
Categories	STRING	
Documentation	STRING	
Term	STRING	
Order	INTEGER	0
Description	STRING	
Comment	STRING	
Trigger	STRING	
Result	STRING	
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated cycle time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Info on results	STRING	
Cost driver	STRING	
Cost driver quantity	INTEGER	0
Aggregated personnel costs	DOUBLE	0
Beschreibung	STRING	
Kommentar	STRING	
Bezeichnung	STRING	Prozeßstart
Open questions	STRING	
Implementing control	ENUMERATION	no
Show name	ENUMERATION	No
Type	ENUMERATION	Top-level
Message	ENUMERATION	No
Timer	ENUMERATION	No
Conditional	ENUMERATION	No
Signal	ENUMERATION	No
Escalation	ENUMERATION	No
Error	ENUMERATION	No
Compensation	ENUMERATION	No
Parallel	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Collection	ENUMERATION	No

Object type	ENUMERATION	Information
Cardinality	STRING	
Details	LONGSTRING	
Timer type	ENUMERATION	Date
GET Articles(Get task)		
Position	STRING	NODE x:6cm y:4.5cm w:3.36cm h:1.8cm index:2
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Get type	ENUMERATION	Local file
Google spreadsheet ID	STRING	1DnkN97albrhGbxlCIW5kqhXk4DDQ60cBe4WIIERKp_U
Count	STRING	571
R operation log	LONGSTRING	C:\Program Files\R\R-3.2.0\bin>Rscript.exe C:\Users\wutz\AppData\Local\Temp\adoce5f1a99-4f22-462- Attache Paket: 'dplyr' The following objects are masked from 'package:stats': filter, lag The following objects are masked from 'package:base': intersect, setdiff, setequal, union

GET Customers(Get task)

Position	STRING	NODE x:6cm y:12cm w:3.36cm h:1.8cm index:4
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00

Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	https://docs.google.com/spreadsheets/d/1IXTVh4RNaubXIsjK6BjRnNC8O2gTd0JxjbexrSvM-SM
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Get type	ENUMERATION	Local file
Google spreadsheet ID	STRING	1IXTVh4RNaubXIsjK6BjRnNC8O2gTd0JxjbexrSvM-SM
Count	STRING	20000
R operation log	LONGSTRING	C:\Program Files\IR-3.2.0\bin>Rscript.exe C:\Users\wutz\AppData\Local\Temp\adofa91b68b-a859-49 Attache Paket: 'dplyr' The following objects are masked from 'package:stats': filter, lag The following objects are masked from 'package:base': intersect, setdiff, setequal, union

GET Transactions(Get task)

Position	STRING	NODE x:6cm y:8cm w:3.36cm h:1.8cm index:6
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes

Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Get type	ENUMERATION	Local file
Google spreadsheet ID	STRING	1dzWJGdlsv7x77QHCZX0Cfdfwl1EiAUaC8Rr7NIwCNEA
Count	STRING	185835
R operation log	LONGSTRING	C:\Program Files\RR-3.2.0\bin>Rscript.exe C:\Users\wutz\AppData\Local\Temp\ado9a73127d-5e4c-42 Attache Paket: 'dplyr' The following objects are masked from 'package:stats': filter, lag The following objects are masked from 'package:base': intersect, setdiff, setequal, union

GET Twitter Followers (Cache)(Get task)

Position	STRING	NODE x:6cm y:15.5cm w:3.36cm h:1.8cm index:8
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0

Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Get type	ENUMERATION	Local file
Google spreadsheet ID	STRING	
Count	STRING	1002
R operation log	LONGSTRING	C:\Program Files\R\R-3.2.0\bin>Rscript.exe C:\Users\wutzl\AppData\Local\Temp\ado53f7daec-0132-49 Attache Paket: 'dplyr' The following objects are masked from 'package:stats': filter, lag The following objects are masked from 'package:base': intersect, setdiff, setequal, union

MERGE: Article and Transaction by ArticleNr(Merge task)

Position	STRING	NODE x:11.5cm y:4.5cm w:3.36cm h:1.8cm index:10
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0

Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Output (CSV)	STRING	
Merge type	ENUMERATION	Left (outer) join
Merge by	STRING	ArticleNr
Count	STRING	185835
R operation log	LONGSTRING	C:\Program Files\IR-3.2.0\bin>Rscript.exe C:\Users\wutz\AppData\Local\Temp\ado38c599dd-d0c3-49 Attache Paket: 'dplyr' The following objects are masked from 'package:stats': filter, lag The following objects are masked from 'package:base': intersect, setdiff, setequal, union

GROUP: by Brand~Customer(Group task)

Position	STRING	NODE x:17cm y:4.5cm w:3.36cm h:1.8cm index:13
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified

Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Logical operator	ENUMERATION	all
Group expression	STRING	Brand-CustomerNr
Count	STRING	19996
R operation log	LONGSTRING	C:\Program Files\R\R-3.2.0\bin>Rscript.exe C:\Users\wutz\AppData\Local\Temp\ado6f715bca-24fd-43- Attache Paket: 'dplyr' The following objects are masked from 'package:stats': filter, lag The following objects are masked from 'package:base': intersect, setdiff, setequal, union

SUBSET: NOT Adidas Customer(Subset task)

Position	STRING	NODE x:22cm y:4.5cm w:3.36cm h:1.8cm index:15
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information

Completion condition	STRING	
Loop condition (standard)	STRING	
Logical operator	ENUMERATION	all
Subset expression	STRING	[-grep("\Adidas+", %INPUT%\$Brand),]
Count	STRING	1267
R operation log	LONGSTRING	C:\Program Files\R\R-3.2.0\bin>Rscript.exe C:\Users\wutz\AppData\Local\Temp\ado99d7e1c9-52bf-4fa Attache Paket: 'dplyr' The following objects are masked from 'package:stats': filter, lag The following objects are masked from 'package:base': intersect, setdiff, setequal, union

MERGE: Not Adidas Customer with Customer by CustomerNr(Merge task)

Position	STRING	NODE x:28cm y:4.5cm w:3.36cm h:1.8cm index:17
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Output (CSV)	STRING	
Merge type	ENUMERATION	Left (outer) join
Merge by	STRING	CustomerNr
Count	STRING	1267
R operation log	LONGSTRING	C:\Program Files\R\R-3.2.0\bin>Rscript.exe C:\Users\wutz\AppData\Local\Temp\ado8b0d5b70-98ac-4 Attache Paket: 'dplyr' The following objects are masked from 'package:stats': filter, lag The

following objects are masked from 'package:base':
intersect, setdiff, setequal, union

FUZZY JOIN: TwitterFollower and Not Adidas Customer (by nickname and fullname)(Fuzzy join)

Position	STRING	NODE x:39cm y:4.5cm w:3.36cm h:1.8cm index:20
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Output (CSV)	STRING	
Merge type	ENUMERATION	Natural (inner) join
Merge by	STRING	
Fuzzy columns	STRING	"fullname", "nickname"
Count	STRING	1267
R operation log	LONGSTRING	C:\Program Files\R\R-3.2.0\bin>Rscript.exe C:\Users\wutzl\AppData\Local\Temp\ad0a4d4d04e-a54b-4- Attache Paket: 'dplyr' The following objects are masked from 'package:stats': filter, lag The following objects are masked from 'package:base': intersect, setdiff, setequal, union 1 rows of x are exactly matched on all variables Warning messages: 1: In inner_join_impl(x, y, by\$x, by\$y) : joining character vector and factor, coercing into character vector 2: In inner_join_impl(x, y, by\$x, by\$y) : joining factors with different levels, coercing to character vector 3: In anti_join_impl(x,

y, by\$x, by\$y) : joining character vector and factor, coercing into character vector 4: In anti_join_impl(x, y, by\$x, by\$y) : joining factors with different levels, coercing to character vector

SELECT: Customer Not Adidas/Follower (distance < 0.2)(Select task)

Position	STRING	NODE x:44cm y:4.5cm w:3.36cm h:1.8cm index:23
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Logical operator	ENUMERATION	all
Count	STRING	5
R operation log	LONGSTRING	C:\Program Files\R\R-3.2.0\bin>Rscript.exe C:\Users\wutz\AppData\Local\Temp\ado50e6605b-8246-40-Attache Paket: 'dplyr' The following objects are masked from 'package:stats': filter, lag The following objects are masked from 'package:base': intersect, setdiff, setequal, union 1 rows of x are exactly matched on all variables Warning messages: 1: In inner_join_impl(x, y, by\$x, by\$y) : joining character vector and factor, coercing into character vector 2: In inner_join_impl(x, y, by\$x, by\$y) : joining factors with different levels, coercing to character vector 3: In anti_join_impl(x, y, by\$x, by\$y) : joining character vector and factor,

coercing into character vector 4: In
anti_join_impl(x, y, by\$x, by\$y) : joining factors
with different levels, coercing to character vector

End(End Event)

Position	STRING	NODE x:48.5cm y:4.5cm index:25
External tool coupling	STRING	
Type	ENUMERATION	local
Categories	STRING	
Documentation	STRING	
Representation	ENUMERATION	without name
Order	INTEGER	0
Description	STRING	
Comment	STRING	
Bezeichnung	STRING	Ende
Beschreibung	STRING	
Kommentar	STRING	
Show name	ENUMERATION	No
Open questions	STRING	
Message	ENUMERATION	No
Signal	ENUMERATION	No
Escalation	ENUMERATION	No
Error	ENUMERATION	No
Compensation	ENUMERATION	No
Terminate	ENUMERATION	No
Cancel	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Cardinality	STRING	
Details	LONGSTRING	

COMBINE fullname (first_name + last_name)(Combine task)

Position	STRING	NODE x:32.5cm y:4.5cm w:3.36cm h:1.8cm index:27
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below

Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Logical operator	ENUMERATION	all
Group expression	STRING	
Left column	STRING	first_name
Right column	STRING	last_name
New column	STRING	fullname
Count	STRING	1267
R operation log	LONGSTRING	C:\Program Files\OR-3.2.0\bin>Rscript.exe C:\Users\wutz\AppData\Local\Temp\ad0e9bf54b2-edce-42 Attache Paket: 'dplyr' The following objects are masked from 'package:stats': filter, lag The following objects are masked from 'package:base': intersect, setdiff, setequal, union

Plot-59611(Plot)

Position	STRING	NODE x:39cm y:11cm w:11.5cm h:11.5cm index:29
External tool coupling	STRING	
Categories	STRING	
Documentation	STRING	
Text	STRING	
Font size	ENUMERATION	10
Font style	ENUMERATION	Standard
Notiz	STRING	
Calculate size of graphic automatically	ENUMERATION	Yes
__NameGeneration__	STRING	NAMEGEN srcattr:"__hatNotiz__"
Color	STRING	lemonchiffon
Show description of the attachments	ENUMERATION	No
Title	STRING	
Show title	ENUMERATION	No
Plot type	ENUMERATION	Histogram
Data	ENUMERATION	Data
Column	STRING	distance

Plot-59800(Plot)

Position	STRING	NODE x:26cm y:17.5cm w:11cm h:11cm index:31
External tool coupling	STRING	
Categories	STRING	
Documentation	STRING	
Text	STRING	
Font size	ENUMERATION	10
Font style	ENUMERATION	Standard
Notiz	STRING	
Calculate size of graphic automatically	ENUMERATION	Yes
__NameGeneration__	STRING	NAMEGEN srcattr:"__hatNotiz__"
Color	STRING	lemonchiffon
Show description of the attachments	ENUMERATION	No
Title	STRING	
Show title	ENUMERATION	No
Plot type	ENUMERATION	Bar chart
Data	ENUMERATION	Metadata
Column	STRING	CompletePercentage

Relations

Start->GET Articles(Subsequent)

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 0 index:3
VisibleAttr	STRING	
AttrRep	STRING	@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo"
Visualization	ENUMERATION	RELATION
Comment	STRING	
GraphRep	STRING	GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process

		<pre> diagram (BPMN 2.0)) OR (sModelType = "Choreography diagram (BPMN 2.0)") { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } } </pre>
<p>AnimRep HlpTxt</p>	<p>STRING STRING</p>	<p>The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallelity.</p>
<p>Connector number Representation Font colour Kommentar Info zur Übergangsbedingung Bezeichnung Beschreibung Denomination Description __Variants__ Auditing Monitoring Default Immediate Category</p>	<p>INTEGER ENUMERATION ENUMERATION STRING STRING STRING STRING LONGSTRING LONGSTRING ENUMERATION ENUMERATION ENUMERATION ENUMERATION STRING</p>	<p>1 above/below black Nachfolger No No No No</p>

Rotate the visualised values by 90 degrees ENUMERATION
 Color STRING
 Doku STRING

No
 black
 NOTEBOOK #----- LANG "en"
 #----- CHAPTER "Description" ATTR
 "Denomination" ATTR "Description" ATTR
 "Comment" CHAPTER "Details (BPMN)" ATTR
 "Auditing" ATTR "Monitoring" ATTR "Default"
 ATTR "Immediate" ATTR "Category" ATTR "Id"
 CHAPTER "Details (Simulation)" ATTR "Transition
 condition" dialog:transcond ATTR "Transition
 probability"

Start->GET Customers(Subsequent)

Transition condition STRING
 Transition probability STRING
 Visualized values ENUMERATION
 Positions STRING
 VisibleAttrs STRING
 AttrRep STRING

 Visualization ENUMERATION
 Comment STRING
 GraphRep STRING

Denomination
 EDGE 1 x1:2cm y1:12cm index:5

@INCLUDE
 "db:\attrep_c_REL_CLASS_Subsequent.leo"
 RELATION

GRAPHREP rounded:0.1cm PEN w:0.05cm
 EDGE AVAL sModelType: "ModelTypeExp"
 START IF ((sModelType = "Business process
 diagram (BPMN 2.0)") OR (sModelType =
 "Choreography diagram (BPMN 2.0)")) { AVAL
 sStandard: "Default" IF (sStandard = "Yes") { LINE
 x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL
 condExpression: "Transition condition" AVAL
 fromType: "FromType" IF ((condExpression != "")
 AND ((fromType = "Task") OR (fromType =
 "Sub-Process"))) { FILL color:white POLYGON 4
 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm
 x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } }
 END IF ((sModelType = "Business process
 diagram (BPMN 2.0)") OR (sModelType =
 "Choreography diagram (BPMN 2.0)")) FILL
 color:black POLYGON 3 x1:-.33cm y1:-.11cm
 x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE
 POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm
 x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL
 s:"Rotate the visualised values by 90 degrees"
 AVAL v:"Visualized values" AVAL
 d:"Representation" AVAL sp:"Language" AVAL
 cl:"Font colour" SET maxTxtWidth:(4cm) AVAL
 name:"Denomination" AVAL transCond:"Transition
 condition" AVAL transVal:"Transition probability"
 IF (v = "Denomination") { SET txt1:(name) SET
 txt2:("") } ELSIF (v = "Transition condition") { SET
 txt1:(transCond) SET txt2:("") } ELSIF (v =
 "Transition probability") { SET txt1:("") SET
 txt2:(transVal) } ELSIF (v = "Transition probability
 and transition condition") { SET txt1:(transCond)
 SET txt2:(transVal) } ELSIF (v = "Transition
 probability and denomination") { SET txt1:(name)
 SET txt2:(transVal) } ELSE { SET txt1:(name) SET
 txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") {
 FONT color:black line-orientation:90 } ELSE {
 FONT color:black line-orientation:0 } } ELSE { IF (s
 = "Yes") { FONT color:whitesmoke
 line-orientation:90 } ELSE { FONT
 color:whitesmoke line-orientation:0 } } IF (d =
 "above/below") { IF (s = "Yes") { IF (txt1 != "") {
 TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm
 w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2)
 line-break:rigorous x:-0.2cm y:0.0cm
 w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") {
 TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm
 w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2)
 line-break:rigorous x:0.0cm y:-0.2cm
 w:c:(maxTxtWidth) h:b } } IF (d = "left/right") { IF
 (s = "Yes") { IF (txt1 != "") { TEXT (txt1)
 line-break:rigorous x:0.0cm y:-0.2cm
 w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2)
 line-break:rigorous x:0.0cm y:0.2cm
 w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") {
 TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm
 w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2)
 line-break:rigorous x:-0.2cm y:0.0cm

AnimRep	STRING	w:r:(maxTxtWidth) h:c } }
HlpTxt	STRING	
Connector number	INTEGER	
Representation	ENUMERATION	The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallellity.
Font colour	ENUMERATION	2
Kommentar	STRING	above/below
Info zur Übergangsbedingung	STRING	black
Bezeichnung	STRING	
Beschreibung	STRING	Nachfolger
Denomination	STRING	
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"

Start->GET Transactions(Subsequent)

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 1 x1:2cm y1:8cm index:7
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo" RELATION
Visualization	ENUMERATION	
Comment	STRING	
GraphRep	STRING	GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:(") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:(") } ELSIF (v = "Transition probability") { SET txt1:(") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition

		<pre> probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } </pre>
AnimRep	STRING	
HlpTxt	STRING	
Connector number	INTEGER	
Representation	ENUMERATION	
Font colour	ENUMERATION	3 above/below black
Kommentar	STRING	
Info zur Übergangsbedingung	STRING	
Bezeichnung	STRING	
Beschreibung	STRING	Nachfolger
Denomination	STRING	
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	<pre> NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability" </pre>
Start->GET Twitter Followers (Cache)(Subsequent)		
Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 1 x1:2cm y1:15.5cm index:9
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo" RELATION
Visualization	ENUMERATION	
Comment	STRING	
GraphRep	STRING	<pre> GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL </pre>

<p>AnimRep HlpTxt</p>	<p>STRING STRING</p>	<pre> fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } } </pre>
		<p>The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallelity.</p>
<p>Connector number Representation Font colour Kommentar Info zur Übergangsbedingung Bezeichnung Beschreibung Denomination Description __Variants__ Auditing Monitoring Default Immediate Category Rotate the visualised values by 90 degrees Color Doku</p>	<p>INTEGER ENUMERATION ENUMERATION STRING STRING STRING STRING STRING LONGSTRING LONGSTRING ENUMERATION ENUMERATION ENUMERATION ENUMERATION STRING ENUMERATION STRING STRING</p>	<p>4 above/below black Nachfolger No No No No No black NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR</p>

"Comment" CHAPTER "Details (BPMN)" ATTR
 "Auditing" ATTR "Monitoring" ATTR "Default"
 ATTR "Immediate" ATTR "Category" ATTR "Id"
 CHAPTER "Details (Simulation)" ATTR "Transition
 condition" dialog:transcond ATTR "Transition
 probability"

GET Articles->MERGE: Article and Transaction by ArticleNr(Subsequent)

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 1 x1:8cm y1:4.5cm index:11 MIDDLE x:8.33cm y:4.5cm
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo"
Visualization	ENUMERATION	RELATION
Comment	STRING	
GraphRep	STRING	GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } } The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It
AnimRep	STRING	
HlpTxt	STRING	

Connector number	INTEGER	can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallelity.
Representation	ENUMERATION	5
Font colour	ENUMERATION	above/below
Kommentar	STRING	black
Info zur Übergangsbedingung	STRING	
Bezeichnung	STRING	Nachfolger
Beschreibung	STRING	
Denomination	STRING	X
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"

GET Transactions->MERGE: Article and Transaction by ArticleNr(Subsequent)

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 2 x1:9cm y1:8cm x2:9cm y2:5cm index:12 MIDDLE x:8.42cm y:8cm
VisibleAttr	STRING	
AttrRep	STRING	@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo"
Visualization	ENUMERATION	RELATION
Comment	STRING	
GraphRep	STRING	GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") {

		<pre> FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } </pre>
AnimRep	STRING	
HlpTxt	STRING	
		<p>The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallelity.</p>
Connector number	INTEGER	6
Representation	ENUMERATION	above/below
Font colour	ENUMERATION	black
Kommentar	STRING	
Info zur Übergangsbedingung	STRING	
Bezeichnung	STRING	Nachfolger
Beschreibung	STRING	
Denomination	STRING	Y
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	<pre> NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability" </pre>
<h3>MERGE: Article and Transaction by ArticleNr->GROUP: by Brand~Customer(Subsequent)</h3>		
Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 0 index:14
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE
Visualization	ENUMERATION	"db:\attrep_c_REL_CLASS_Subsequent.leo"
Comment	STRING	RELATION
GraphRep	STRING	<pre> GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 </pre>

		<pre> x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } </pre>
AnimRep	STRING	
HlpTxt	STRING	
		<p>The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallelity.</p> <p>0</p> <p>above/below</p> <p>black</p> <p>Nachfolger</p> <p>No</p> <p>No</p> <p>No</p> <p>No</p> <p>No</p> <p>No</p> <p>black</p> <p>NOTEBOOK #----- LANG "en"</p> <p>#----- CHAPTER "Description" ATTR</p> <p>"Denomination" ATTR "Description" ATTR</p> <p>"Comment" CHAPTER "Details (BPMN)" ATTR</p> <p>"Auditing" ATTR "Monitoring" ATTR "Default"</p> <p>ATTR "Immediate" ATTR "Category" ATTR "Id"</p>
Connector number	INTEGER	
Representation	ENUMERATION	
Font colour	ENUMERATION	
Kommentar	STRING	
Info zur Übergangsbedingung	STRING	
Bezeichnung	STRING	
Beschreibung	STRING	
Denomination	STRING	
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	
Monitoring	ENUMERATION	
Default	ENUMERATION	
Immediate	ENUMERATION	
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	
Color	STRING	
Doku	STRING	

CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"

GROUP: by Brand~Customer->SUBSET: NOT Adidas Customer(Subsequent)

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 0 index:16
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE
		"db:\attrep_c_REL_CLASS_Subsequent.leo"
Visualization	ENUMERATION	RELATION
Comment	STRING	
GraphRep	STRING	<p>GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transCond) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } }</p>
AnimRep	STRING	
HlpTxt	STRING	

The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The

Connector number	INTEGER	'Subsequent' relation may contain a transition condition when it follows a Decision or Parallellity.
Representation	ENUMERATION	8
Font colour	ENUMERATION	above/below
Kommentar	STRING	black
Info zur Übergangsbedingung	STRING	
Bezeichnung	STRING	Nachfolger
Beschreibung	STRING	
Denomination	STRING	
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"

SUBSET: NOT Adidas Customer->MERGE: Not Adidas Customer with Customer by CustomerNr(Subsequent)

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 0 index:18 MIDDLE x:24.43cm y:4.5cm
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo" RELATION
Visualization	ENUMERATION	
Comment	STRING	
GraphRep	STRING	GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLIN 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT


```

color:whitesmoke line-orientation:0 } } IF (d =
"above/below") { IF (s = "Yes") { IF (txt1 != "") {
TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm
w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:-0.2cm y:0.0cm
w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") {
TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm
w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:0.0cm y:-0.2cm
w:c:(maxTxtWidth) h:b } } IF (d = "left/right") { IF
(s = "Yes") { IF (txt1 != "") { TEXT (txt1)
line-break:rigorous x:0.0cm y:-0.2cm
w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:0.0cm y:0.2cm
w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") {
TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm
w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:-0.2cm y:0.0cm
w:r:(maxTxtWidth) h:c } } }

```

AnimRep STRING
HlpTxt STRING

The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallelity.

Connector number INTEGER
Representation ENUMERATION
Font colour ENUMERATION
Kommentar STRING
Info zur Übergangsbedingung STRING
Bezeichnung STRING
Beschreibung STRING
Denomination STRING
Description LONGSTRING
__Variants__ LONGSTRING
Auditing ENUMERATION
Monitoring ENUMERATION
Default ENUMERATION
Immediate ENUMERATION
Category STRING
Rotate the visualised values by 90 degrees ENUMERATION
Color STRING
Doku STRING

0
above/below
black
Nachfolger
X
No
No
No
No
No
black
NOTEBOOK #----- LANG "en"
#----- CHAPTER "Description" ATTR
"Denomination" ATTR "Description" ATTR
"Comment" CHAPTER "Details (BPMN)" ATTR
"Auditing" ATTR "Monitoring" ATTR "Default"
ATTR "Immediate" ATTR "Category" ATTR "Id"
CHAPTER "Details (Simulation)" ATTR "Transition
condition" dialog:transcond ATTR "Transition
probability"

GET Customers->MERGE: Not Adidas Customer with Customer by CustomerNr(Subsequent)

Transition condition STRING
Transition probability STRING
Visualized values ENUMERATION
Positions STRING
VisibleAttrs STRING
AttrRep STRING
Visualization ENUMERATION
Comment STRING
GraphRep STRING

Denomination
EDGE 2 x1:25cm y1:12cm x2:25cm y2:5cm
index:19 MIDDLE x:8.4cm y:12cm
@INCLUDE
"db:\attrep_c_REL_CLASS_Subsequent.leo"
RELATION
GRAPHREP rounded:0.1cm PEN w:0.05cm
EDGE AVAL sModelType: "ModelTypeExp"
START IF ((sModelType = "Business process
diagram (BPMN 2.0)") OR (sModelType =
"Choreography diagram (BPMN 2.0)")) { AVAL
sStandard: "Default" IF (sStandard = "Yes") { LINE
x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL
condExpression: "Transition condition" AVAL
fromType: "FromType" IF ((condExpression != "")
AND ((fromType = "Task") OR (fromType =
"Sub-Process"))) { FILL color:white POLYGON 4
x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm
x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } }
END IF ((sModelType = "Business process

		<pre> diagram (BPMN 2.0) OR (sModelType = "Choreography diagram (BPMN 2.0)") FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } </pre>
AnimRep	STRING	<p>The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallely.</p>
HlpTxt	STRING	
Connector number	INTEGER	0
Representation	ENUMERATION	above/below
Font colour	ENUMERATION	black
Kommentar	STRING	
Info zur Übergangsbedingung	STRING	
Bezeichnung	STRING	Nachfolger
Beschreibung	STRING	
Denomination	STRING	Y
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	<pre> NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability" </pre>

GET Twitter Followers (Cache)->FUZZY JOIN: TwitterFollower and Not Adidas Customer (by nickname and fullname)(Subsequent)

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 2 x1:35cm y1:15.5cm x2:35cm y2:5cm index:21 MIDDLE x:8.52cm y:15.5cm
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo"
Visualization	ENUMERATION	RELATION
Comment	STRING	
GraphRep	STRING	<p>GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } }</p>
AnimRep	STRING	
HlpTxt	STRING	The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition

Connector number	INTEGER	condition when it follows a Decision or Parallellity.
Representation	ENUMERATION	11
Font colour	ENUMERATION	above/below
Kommentar	STRING	black
Info zur Übergangsbedingung	STRING	
Bezeichnung	STRING	Nachfolger
Beschreibung	STRING	
Denomination	STRING	Y
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	NOTEBOOK #----- LANG "en"

```
#----- CHAPTER "Description" ATTR
"Denomination" ATTR "Description" ATTR
"Comment" CHAPTER "Details (BPMN)" ATTR
"Auditing" ATTR "Monitoring" ATTR "Default"
ATTR "Immediate" ATTR "Category" ATTR "Id"
CHAPTER "Details (Simulation)" ATTR "Transition
condition" dialog:transcond ATTR "Transition
probability"
```

COMBINE fullname (first_name + last_name)->FUZZY JOIN: TwitterFollower and Not Adidas Customer (by nickname and fullname)(Subsequent)

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 0 index:22 MIDDLE x:34.7cm y:4.5cm
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE
Visualization	ENUMERATION	"db:\attrep_c_REL_CLASS_Subsequent.leo"
Comment	STRING	RELATION
GraphRep	STRING	

```
GRAPHREP rounded:0.1cm PEN w:0.05cm
EDGE AVAL sModelType: "ModelTypeExp"
START IF ((sModelType = "Business process
diagram (BPMN 2.0)") OR (sModelType =
"Choreography diagram (BPMN 2.0)")) { AVAL
sStandard: "Default" IF (sStandard = "Yes") { LINE
x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL
condExpression: "Transition condition" AVAL
fromType: "FromType" IF ((condExpression != "")
AND ((fromType = "Task") OR (fromType =
"Sub-Process"))) { FILL color:white POLYGON 4
x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm
x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } }
END IF ((sModelType = "Business process
diagram (BPMN 2.0)") OR (sModelType =
"Choreography diagram (BPMN 2.0)")) FILL
color:black POLYGON 3 x1:-.33cm y1:-.11cm
x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE
POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm
x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL
s:"Rotate the visualised values by 90 degrees"
AVAL v:"Visualized values" AVAL
d:"Representation" AVAL sp:"Language" AVAL
cl:"Font colour" SET maxTxtWidth:(4cm) AVAL
name:"Denomination" AVAL transCond:"Transition
condition" AVAL transVal:"Transition probability"
IF (v = "Denomination") { SET txt1:(name) SET
txt2:("") } ELSIF (v = "Transition condition") { SET
txt1:(transCond) SET txt2:("") } ELSIF (v =
"Transition probability") { SET txt1:("") SET
txt2:(transVal) } ELSIF (v = "Transition probability
and transition condition") { SET txt1:(transCond)
SET txt2:(transVal) } ELSIF (v = "Transition
probability and denomination") { SET txt1:(name)
SET txt2:(transVal) } ELSE { SET txt1:(name) SET
txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") {
FONT color:black line-orientation:90 } ELSE {
FONT color:black line-orientation:0 } } ELSE { IF (s
= "Yes") { FONT color:whitesmoke
line-orientation:90 } ELSE { FONT
color:whitesmoke line-orientation:0 } } IF (d =
```

```

"above/below" { IF (s = "Yes") { IF (txt1 != "") {
TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm
w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:-0.2cm y:0.0cm
w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") {
TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm
w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:0.0cm y:-0.2cm
w:c:(maxTxtWidth) h:b } } IF (d = "left/right") { IF
(s = "Yes") { IF (txt1 != "") { TEXT (txt1)
line-break:rigorous x:0.0cm y:-0.2cm
w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:0.0cm y:0.2cm
w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") {
TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm
w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:-0.2cm y:0.0cm
w:r:(maxTxtWidth) h:c } } }

```

AnimRep STRING
HlpTxt STRING

The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallellity.

Connector number INTEGER
Representation ENUMERATION
Font colour ENUMERATION
Kommentar STRING
Info zur Übergangsbedingung STRING
Bezeichnung STRING
Beschreibung STRING
Denomination STRING
Description LONGSTRING
__Variants__ LONGSTRING
Auditing ENUMERATION
Monitoring ENUMERATION
Default ENUMERATION
Immediate ENUMERATION
Category STRING
Rotate the visualised values by 90 degrees ENUMERATION
Color STRING
Doku STRING

12
above/below
black

Nachfolger

X

No
No
No
No

No
black
NOTEBOOK #----- LANG "en"
#----- CHAPTER "Description" ATTR
"Denomination" ATTR "Description" ATTR
"Comment" CHAPTER "Details (BPMN)" ATTR
"Auditing" ATTR "Monitoring" ATTR "Default"
ATTR "Immediate" ATTR "Category" ATTR "Id"
CHAPTER "Details (Simulation)" ATTR "Transition
condition" dialog:transcond ATTR "Transition
probability"

FUZZY JOIN: TwitterFollower and Not Adidas Customer (by nickname and fullname)->SELECT: Customer Not Adidas/Follower (distance < 0.2)(Subsequent)

Transition condition STRING
Transition probability STRING
Visualized values ENUMERATION
Positions STRING
VisibleAttrr STRING
AttrRep STRING
Visualization ENUMERATION
Comment STRING
GraphRep STRING

Denomination
EDGE 0 index:24

@INCLUDE
"db:\attrep_c_REL_CLASS_Subsequent.leo"
RELATION

```

GRAPHREP rounded:0.1cm PEN w:0.05cm
EDGE AVAL sModelType: "ModelTypeExp"
START IF ((sModelType = "Business process
diagram (BPMN 2.0)") OR (sModelType =
"Choreography diagram (BPMN 2.0)")) { AVAL
sStandard: "Default" IF (sStandard = "Yes") { LINE
x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL
condExpression: "Transition condition" AVAL
fromType: "FromType" IF ((condExpression != "")
AND ((fromType = "Task") OR (fromType =
"Sub-Process"))) { FILL color:white POLYGON 4
x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm
x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } }
END IF ((sModelType = "Business process
diagram (BPMN 2.0)") OR (sModelType =

```

		<pre>"Choreography diagram (BPMN 2.0)") FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } }</pre>
<p>AnimRep HlpTxt</p>	<p>STRING STRING</p>	<p>The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallelity.</p>
<p>Connector number Representation Font colour Kommentar Info zur Übergangsbedingung Bezeichnung Beschreibung Denomination Description __Variants__ Auditing Monitoring Default Immediate Category Rotate the visualised values by 90 degrees Color Doku</p>	<p>INTEGER ENUMERATION ENUMERATION STRING STRING STRING STRING LONGSTRING LONGSTRING ENUMERATION ENUMERATION ENUMERATION ENUMERATION STRING ENUMERATION STRING STRING</p>	<p>13 above/below black Nachfolger No No No No No black NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"</p>

SELECT: Customer Not Adidas/Follower (distance < 0.2)->End(Subsequent)

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 0 index:26
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE
		"db:\attrep_c_REL_CLASS_Subsequent.leo"
Visualization	ENUMERATION	RELATION
Comment	STRING	
GraphRep	STRING	<p>GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:1.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } }</p>
AnimRep	STRING	
HlpTxt	STRING	The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallelity.
Connector number	INTEGER	14


```
w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:-0.2cm y:0.0cm
w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") {
TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm
w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:0.0cm y:-0.2cm
w:c:(maxTxtWidth) h:b } } IF (d = "left/right") { IF
(s = "Yes") { IF (txt1 != "") { TEXT (txt1)
line-break:rigorous x:0.0cm y:-0.2cm
w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:0.0cm y:0.2cm
w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") {
TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm
w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:-0.2cm y:0.0cm
w:r:(maxTxtWidth) h:c } } }
```

AnimRep STRING
 HlpTxt STRING

The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallelity.

Connector number INTEGER
 Representation ENUMERATION
 Font colour ENUMERATION
 Kommentar STRING
 Info zur Übergangsbedingung STRING
 Bezeichnung STRING
 Beschreibung STRING
 Denomination STRING
 Description LONGSTRING
 __Variants__ LONGSTRING
 Auditing ENUMERATION
 Monitoring ENUMERATION
 Default ENUMERATION
 Immediate ENUMERATION
 Category STRING
 Rotate the visualised values by 90 degrees ENUMERATION
 Color STRING
 Doku STRING

0
 above/below
 black

Nachfolger

No
 No
 No
 No

No
 black
 NOTEBOOK #----- LANG "en"
 #----- CHAPTER "Description" ATTR
 "Denomination" ATTR "Description" ATTR
 "Comment" CHAPTER "Details (BPMN)" ATTR
 "Auditing" ATTR "Monitoring" ATTR "Default"
 ATTR "Immediate" ATTR "Category" ATTR "Id"
 CHAPTER "Details (Simulation)" ATTR "Transition
 condition" dialog:transcond ATTR "Transition
 probability"

**FUZZY JOIN: TwitterFollower and Not Adidas Customer (by nickname and
 fullname)->Plot-59611(feeds)**

Positions STRING EDGE 0 index:30
 GraphRep STRING
 AttrRep STRING

**FUZZY JOIN: TwitterFollower and Not Adidas Customer (by nickname and
 fullname)->Plot-59800(feeds)**

Positions STRING EDGE 1 x1:38cm y1:18.5cm index:32
 GraphRep STRING
 AttrRep STRING