


# Model Content Export

*Table of content:*

DIBA: Data Workflow Brands - ONLINE

# DIBA: Data Workflow Brands - ONLINE

In process DIBA: Data Workflow Brands - ONLINE 1.1 Powered by ADOxx 03.07.2015, 10:18:39



Edit the model attributes to display your copyright info  
Powered by ADOxx  
[www.adoxx.org](http://www.adoxx.org)

## Instances

### Start Event-52803(Start Event)

Position	STRING	NODE x:2cm y:4.5cm index:1
External tool coupling	STRING	
Time period	ENUMERATION	Per year
Abandon after tolerance waiting time	ENUMERATION	no
Tolerance waiting time	TIME	00:000:00:00:00
Categories	STRING	
Documentation	STRING	
Term	STRING	
Order	INTEGER	0
Description	STRING	
Comment	STRING	
Trigger	STRING	
Result	STRING	
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated cycle time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Info on results	STRING	
Cost driver	STRING	
Cost driver quantity	INTEGER	0
Aggregated personnel costs	DOUBLE	0
Beschreibung	STRING	
Kommentar	STRING	
Bezeichnung	STRING	Prozeßstart
Open questions	STRING	
Implementing control	ENUMERATION	no
Show name	ENUMERATION	No
Type	ENUMERATION	Top-level
Message	ENUMERATION	No
Timer	ENUMERATION	No
Conditional	ENUMERATION	No
Signal	ENUMERATION	No
Escalation	ENUMERATION	No
Error	ENUMERATION	No
Compensation	ENUMERATION	No
Parallel	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Cardinality	STRING	
Details	LONGSTRING	

Timer type	ENUMERATION	Date
<b>GET Articles(Get task)</b>		
Position	STRING	NODE x:6cm y:4.5cm w:3.36cm h:1.8cm index:2
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	<a href="https://docs.google.com/spreadsheets/d/1DnkN97albrhGbx">https://docs.google.com/spreadsheets/d/1DnkN97albrhGbx</a>
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Get type	ENUMERATION	Google spreadsheet (CSV)
Google spreadsheet ID	STRING	1DnkN97albrhGbxICIW5kqhXk4DDQ60cBe4WIIERKp_U
Count	STRING	571
R operation log	LONGSTRING	

**GET Customers(Get task)**

Position	STRING	NODE x:6cm y:12cm w:3.36cm h:1.8cm index:4
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1

Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	<a href="https://docs.google.com/spreadsheets/d/1IXTv4RNaubXIsjK6BjRnNC8O2gTd0JxjbexrSvM-SM">https://docs.google.com/spreadsheets/d/1IXTv4RNaubXIsjK6BjRnNC8O2gTd0JxjbexrSvM-SM</a>
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Get type	ENUMERATION	Google spreadsheet (CSV)
Google spreadsheet ID	STRING	1IXTv4RNaubXIsjK6BjRnNC8O2gTd0JxjbexrSvM-SM
Count	STRING	20000
R operation log	LONGSTRING	

### GET Transactions(Get task)

Position	STRING	NODE x:6cm y:8cm w:3.36cm h:1.8cm index:6
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00

Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Get type	ENUMERATION	URL (CSV)
Google spreadsheet ID	STRING	1dzWJGdlsV7x77QHCZX0Cfdfwl1EiAUaC8Rr7NIwCNEA
Count	STRING	185835
R operation log	LONGSTRING	

### GET Twitter Followers (Cache)(Get task)

Position	STRING	NODE x:6cm y:15.5cm w:3.36cm h:1.8cm index:8
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	<a href="https://docs.google.com/spreadsheets/d/1JeTKvGZ2jur0X...">https://docs.google.com/spreadsheets/d/1JeTKvGZ2jur0X...</a>
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below

Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Get type	ENUMERATION	
Google spreadsheet ID	STRING	Google spreadsheet (CSV)
Count	STRING	1JeTKvGZ2jur0Xe8RE91UedohUxiXka4yuyPSLU4CXzg
R operation log	LONGSTRING	1002

### MERGE: Article and Transaction by ArticleNr(Merge task)

Position	STRING	NODE x:11.5cm y:4.5cm w:3.36cm h:1.8cm index:10
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Output (CSV)	STRING	
Merge type	ENUMERATION	Left (outer) join

Merge by	STRING	ArticleNr
Count	STRING	185835
R operation log	LONGSTRING	
<b>GROUP: by Brand~Customer(Group task)</b>		
Position	STRING	NODE x:17cm y:4.5cm w:3.36cm h:1.8cm index:13
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Logical operator	ENUMERATION	all
Group expression	STRING	Brand~CustomerNr
Count	STRING	19996
R operation log	LONGSTRING	

**SUBSET: NOT Adidas Customer(Subset task)**

Position	STRING	NODE x:22cm y:4.5cm w:3.36cm h:1.8cm index:15
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no

Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Logical operator	ENUMERATION	all
Subset expression	STRING	[-grep("\Adidas+", %INPUT%\$Brand), ]
Count	STRING	1267
R operation log	LONGSTRING	

### MERGE: Not Adidas Customer with Customer by CustomerNr(Merge task)

Position	STRING	NODE x:28cm y:4.5cm w:3.36cm h:1.8cm index:17
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	



Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Output (CSV)	STRING	
Merge type	ENUMERATION	Left (outer) join
Merge by	STRING	CustomerNr
Count	STRING	
R operation log	LONGSTRING	

### FUZZY JOIN: TwitterFollower and Not Adidas Customer (by nickname and fullname)(Fuzzy join)

Position	STRING	NODE x:38.5cm y:4.5cm w:3.36cm h:1.8cm index:20
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interrupttable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0

Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Output (CSV)	STRING	
Merge type	ENUMERATION	Natural (inner) join
Merge by	STRING	
Fuzzy columns	STRING	"fullname", "nickname"
Count	STRING	
R operation log	LONGSTRING	

**SELECT: Customer Not Adidas/Follower (distance < 0.2)(Select task)**

Position	STRING	NODE x:43.5cm y:4.5cm w:3.36cm h:1.8cm index:23
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified

Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Logical operator	ENUMERATION	all
Count	STRING	1267
R operation log	LONGSTRING	

### End Event-55012(End Event)

Position	STRING	NODE x:48cm y:4.5cm index:25
External tool coupling	STRING	
Type	ENUMERATION	local
Categories	STRING	
Documentation	STRING	
Representation	ENUMERATION	without name
Order	INTEGER	0
Description	STRING	
Comment	STRING	
Bezeichnung	STRING	Ende
Beschreibung	STRING	
Kommentar	STRING	
Show name	ENUMERATION	No
Open questions	STRING	
Message	ENUMERATION	No
Signal	ENUMERATION	No
Escalation	ENUMERATION	No
Error	ENUMERATION	No
Compensation	ENUMERATION	No
Terminate	ENUMERATION	No
Cancel	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Cardinality	STRING	
Details	LONGSTRING	

### COMBINE fullname (first\_name + last\_name)(Combine task)

Position	STRING	NODE x:33cm y:4.5cm w:3.36cm h:1.8cm index:27
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0

Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No
Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Logical operator	ENUMERATION	all
Group expression	STRING	
Left column	STRING	first_name
Right column	STRING	last_name
New column	STRING	fullname
Count	STRING	
R operation log	LONGSTRING	

### Get Twitter Followers @ADIDAS(Get Twitter Followers)

Position	STRING	NODE x:6cm y:19.5cm w:3.36cm h:1.8cm index:29
External tool coupling	STRING	
Execution time	TIME	00:000:00:00:00
Waiting time	TIME	00:000:00:00:00
Resting time	TIME	00:000:00:00:00
Transport time	TIME	00:000:00:00:00
Priority	INTEGER	10
Done by	STRING	
Continuous execution	ENUMERATION	no
Max. resource waiting time	TIME	00:000:00:05:00
Cooperative	ENUMERATION	no
Cooperation mode	ENUMERATION	synchron
Average number of participants	INTEGER	1
Min. quota of presence	INTEGER	100
Max. start period	TIME	00:001:00:00:00
Execution interruptable	ENUMERATION	yes
Task stack	ENUMERATION	personal
Categories	STRING	
Documentation	STRING	
Term	STRING	
Status	ENUMERATION	None
Order	INTEGER	0
Costs	DOUBLE	0
Description	STRING	
Comment	STRING	
Info on results	STRING	
Number	DOUBLE	0
Aggregated execution time	TIME	00:000:00:00:00
Aggregated waiting time	TIME	00:000:00:00:00
Aggregated resting time	TIME	00:000:00:00:00
Aggregated transport time	TIME	00:000:00:00:00
Aggregated costs	DOUBLE	0
Aggregated personnel costs	DOUBLE	0
Classification	ENUMERATIONLIST	
EDP transaction costs	DOUBLE	0
EDP batch costs	DOUBLE	0
Printing costs	DOUBLE	0
Postal costs	DOUBLE	0
Bezeichnung	STRING	Aktivität
Beschreibung	STRING	
Kommentar	STRING	
Open questions	STRING	
Type	ENUMERATION	Standard
Display responsible role	ENUMERATION	No
Show name	ENUMERATION	below
Task type	ENUMERATION	Not specified
Global task	ENUMERATION	No
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
For compensation	ENUMERATION	No

Loop type	ENUMERATION	Not specified
Sequential execution	ENUMERATION	No
Cardinality	STRING	
Instantiate	ENUMERATION	No
Collection	ENUMERATION	No
Object type	ENUMERATION	Information
Completion condition	STRING	
Loop condition (standard)	STRING	
Get type	ENUMERATION	Local file
Google spreadsheet ID	STRING	
Count	STRING	
Consumer key	STRING	F0rGTmiZokOQd0DIcsF68Q
Consumer secret	STRING	5GuDOCl6KfCMXYFB0YNTTOO6ErtGNAsVVn0J2Q1zAs
Access token	STRING	195495416-Mi08Zdl4vce04HVv4CXwmqh2SyFEXIsHdSut
Access secret	STRING	EkPXLsHMs2mK5DBmZ10qlbkYdVivmaNq8J9I0SkaqEY
Twitter handle	STRING	@adidas
R operation log	LONGSTRING	

## Relations

### Start Event-52803->GET Articles(Subsequent)

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 0 index:3
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE
Visualization	ENUMERATION	"db:\attrep_c_REL_CLASS_Subsequent.leo"
Comment	STRING	RELATION
GraphRep	STRING	<p>GRAPHREP rounded:0.1cm PEN w:0.05cm  EDGE AVAL sModelType: "ModelTypeExp"  START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF</p>

AnimRep	STRING	<pre>(s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:!(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:!(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } }</pre>
HlpTxt	STRING	
Connector number	INTEGER	<p>The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallelity.</p> <p>1 above/below black</p>
Representation	ENUMERATION	
Font colour	ENUMERATION	<p>Nachfolger</p>
Kommentar	STRING	
Info zur Übergangsbedingung	STRING	<p>No</p>
Bezeichnung	STRING	
Beschreibung	STRING	<p>No</p>
Denomination	STRING	
Description	LONGSTRING	<p>No</p>
__Variants__	LONGSTRING	
Auditing	ENUMERATION	<p>No</p>
Monitoring	ENUMERATION	
Default	ENUMERATION	<p>No</p>
Immediate	ENUMERATION	
Category	STRING	<p>No</p>
Rotate the visualised values by 90 degrees	ENUMERATION	
Color	STRING	<p>black</p>
Doku	STRING	

### Start Event-52803->GET Customers(Subsequent)

Transition condition	STRING	<pre>#----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"</pre>
Transition probability	STRING	
Visualized values	ENUMERATION	<p>Denomination EDGE 1 x1:2cm y1:12cm index:5</p>
Positions	STRING	
VisibleAttrs	STRING	<pre>@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo" RELATION</pre>
AttrRep	STRING	
Visualization	ENUMERATION	<pre>GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition</pre>
Comment	STRING	
GraphRep	STRING	

		<pre> condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } }                 </pre>
AnimRep	STRING	
HlpTxt	STRING	
Connector number	INTEGER	
Representation	ENUMERATION	2
Font colour	ENUMERATION	above/below black
Kommentar	STRING	
Info zur Übergangsbedingung	STRING	
Bezeichnung	STRING	Nachfolger
Beschreibung	STRING	
Denomination	STRING	
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	<pre> NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"                 </pre>
<b>Start Event-52803-&gt;GET Transactions(Subsequent)</b>		
Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 1 x1:2cm y1:8cm index:7
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE
Visualization	ENUMERATION	"db:\attrep_c_REL_CLASS_Subsequent.leo"
Comment	STRING	RELATION

<p>GraphRep</p>	<p>STRING</p>	<p>GRAPHREP rounded:0.1cm PEN w:0.05cm  EDGE AVAL sModelType: "ModelTypeExp"  START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } }</p>
<p>AnimRep HlpTxt</p>	<p>STRING STRING</p>	<p>The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallelity.</p>
<p>Connector number Representation Font colour Kommentar Info zur Übergangsbedingung Bezeichnung Beschreibung Denomination Description __Variants__ Auditing Monitoring</p>	<p>INTEGER ENUMERATION ENUMERATION STRING STRING STRING STRING STRING LONGSTRING LONGSTRING ENUMERATION ENUMERATION</p>	<p>3 above/below black  Nachfolger   No No</p>



Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"

### Start Event-52803->GET Twitter Followers (Cache)(Subsequent)

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 1 x1:2cm y1:15.5cm index:9
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo" RELATION
Visualization	ENUMERATION	
Comment	STRING	
GraphRep	STRING	GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") {

		TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } }
AnimRep	STRING	
HlpTxt	STRING	
		The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallellity.
Connector number	INTEGER	4
Representation	ENUMERATION	above/below
Font colour	ENUMERATION	black
Kommentar	STRING	
Info zur Übergangsbedingung	STRING	
Bezeichnung	STRING	Nachfolger
Beschreibung	STRING	
Denomination	STRING	
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"

**GET Articles->MERGE: Article and Transaction by ArticleNr(Subsequent)**

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 1 x1:8cm y1:4.5cm index:11 MIDDLE x:8.33cm y:4.5cm
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo" RELATION
Visualization	ENUMERATION	
Comment	STRING	
GraphRep	STRING	GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v =

		<pre>"Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } }</pre>
AnimRep	STRING	
HlpTxt	STRING	
		<p>The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallellity.</p>
		5
		above/below
		black
		Nachfolger
		X
		No
		No
		No
		No
Connector number	INTEGER	
Representation	ENUMERATION	
Font colour	ENUMERATION	
Kommentar	STRING	
Info zur Übergangsbedingung	STRING	
Bezeichnung	STRING	
Beschreibung	STRING	
Denomination	STRING	
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	
Monitoring	ENUMERATION	
Default	ENUMERATION	
Immediate	ENUMERATION	
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	
Color	STRING	
Doku	STRING	
		<pre>NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"</pre>
<b>GET Transactions-&gt;MERGE: Article and Transaction by ArticleNr(Subsequent)</b>		
Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 2 x1:9cm y1:8cm x2:9cm y2:5cm index:12 MIDDLE x:8.42cm y:8cm
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo"
Visualization	ENUMERATION	RELATION
Comment	STRING	
GraphRep	STRING	GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process

	<pre> diagram (BPMN 2.0)) OR (sModelType = "Choreography diagram (BPMN 2.0)") { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process")) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } } </pre>	<p>diagram (BPMN 2.0)) OR (sModelType = "Choreography diagram (BPMN 2.0)") { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process")) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } }</p>
<p>AnimRep HlpTxt</p>	<p>STRING STRING</p>	<p>The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallelity.</p>
<p>Connector number Representation Font colour Kommentar Info zur Übergangsbedingung Bezeichnung Beschreibung Denomination Description __Variants__ Auditing Monitoring Default Immediate Category</p>	<p>INTEGER ENUMERATION ENUMERATION STRING STRING STRING STRING STRING LONGSTRING LONGSTRING ENUMERATION ENUMERATION ENUMERATION ENUMERATION STRING</p>	<p>6 above/below black  Nachfolger  Y  No No No No</p>

Rotate the visualised values by 90 degrees  
 Color  
 Doku

ENUMERATION  
 STRING  
 STRING

No  
 black  
 NOTEBOOK #----- LANG "en"  
 #----- CHAPTER "Description" ATTR  
 "Denomination" ATTR "Description" ATTR  
 "Comment" CHAPTER "Details (BPMN)" ATTR  
 "Auditing" ATTR "Monitoring" ATTR "Default"  
 ATTR "Immediate" ATTR "Category" ATTR "Id"  
 CHAPTER "Details (Simulation)" ATTR "Transition  
 condition" dialog:transcond ATTR "Transition  
 probability"

**MERGE: Article and Transaction by ArticleNr->GROUP: by Brand~Customer(Subsequent)**

Transition condition  
 Transition probability  
 Visualized values  
 Positions  
 VisibleAttrs  
 AttrRep

STRING  
 STRING  
 ENUMERATION  
 STRING  
 STRING  
 STRING

Denomination  
 EDGE 0 index:14

@INCLUDE  
 "db:\attrep\_c\_REL\_CLASS\_Subsequent.leo"  
 RELATION

Visualization  
 Comment  
 GraphRep

ENUMERATION  
 STRING  
 STRING

GRAPHREP rounded:0.1cm PEN w:0.05cm  
 EDGE AVAL sModelType: "ModelTypeExp"  
 START IF ((sModelType = "Business process  
 diagram (BPMN 2.0)") OR (sModelType =  
 "Choreography diagram (BPMN 2.0)")) { AVAL  
 sStandard: "Default" IF (sStandard = "Yes") { LINE  
 x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL  
 condExpression: "Transition condition" AVAL  
 fromType: "FromType" IF ((condExpression != "")  
 AND ((fromType = "Task") OR (fromType =  
 "Sub-Process"))) { FILL color:white POLYGON 4  
 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm  
 x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } }  
 END IF ((sModelType = "Business process  
 diagram (BPMN 2.0)") OR (sModelType =  
 "Choreography diagram (BPMN 2.0)")) FILL  
 color:black POLYGON 3 x1:-.33cm y1:-.11cm  
 x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE  
 POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm  
 x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL  
 s:"Rotate the visualised values by 90 degrees"  
 AVAL v:"Visualized values" AVAL  
 d:"Representation" AVAL sp:"Language" AVAL  
 cl:"Font colour" SET maxTxtWidth:(4cm) AVAL  
 name:"Denomination" AVAL transCond:"Transition  
 condition" AVAL transVal:"Transition probability"  
 IF (v = "Denomination") { SET txt1:(name) SET  
 txt2:("") } ELSIF (v = "Transition condition") { SET  
 txt1:(transCond) SET txt2:("") } ELSIF (v =  
 "Transition probability") { SET txt1:("") SET  
 txt2:(transVal) } ELSIF (v = "Transition probability  
 and transition condition") { SET txt1:(transCond)  
 SET txt2:(transVal) } ELSIF (v = "Transition  
 probability and denomination") { SET txt1:(name)  
 SET txt2:(transVal) } ELSE { SET txt1:(name) SET  
 txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") {  
 FONT color:black line-orientation:90 } ELSE {  
 FONT color:black line-orientation:0 } } ELSE { IF (s  
 = "Yes") { FONT color:whitesmoke  
 line-orientation:90 } ELSE { FONT  
 color:whitesmoke line-orientation:0 } } IF (d =  
 "above/below") { IF (s = "Yes") { IF (txt1 != "") {  
 TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm  
 w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2)  
 line-break:rigorous x:-0.2cm y:0.0cm  
 w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") {  
 TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm  
 w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2)  
 line-break:rigorous x:0.0cm y:-0.2cm  
 w:c:(maxTxtWidth) h:b } } IF (d = "left/right") { IF  
 (s = "Yes") { IF (txt1 != "") { TEXT (txt1)  
 line-break:rigorous x:0.0cm y:-0.2cm  
 w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2)  
 line-break:rigorous x:0.0cm y:0.2cm  
 w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") {  
 TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm  
 w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2)  
 line-break:rigorous x:-0.2cm y:0.0cm

AnimRep	STRING	w:r:(maxTxtWidth) h:c } }
HlpTxt	STRING	
Connector number	INTEGER	
Representation	ENUMERATION	The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallellity.
Font colour	ENUMERATION	0
Kommentar	STRING	above/below
Info zur Übergangsbedingung	STRING	black
Bezeichnung	STRING	
Beschreibung	STRING	Nachfolger
Denomination	STRING	
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"

**GROUP: by Brand~Customer->SUBSET: NOT Adidas Customer(Subsequent)**

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 0 index:16
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo" RELATION
Visualization	ENUMERATION	
Comment	STRING	
GraphRep	STRING	GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:(") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:(") } ELSIF (v = "Transition probability") { SET txt1:(") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition

<p>AnimRep HlpTxt</p>	<p>STRING STRING</p>	<pre>probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } }</pre>
<p>Connector number Representation Font colour Kommentar Info zur Übergangsbedingung Bezeichnung Beschreibung Denomination Description __Variants__ Auditing Monitoring Default Immediate Category Rotate the visualised values by 90 degrees Color Doku</p>	<p>INTEGER ENUMERATION ENUMERATION STRING STRING STRING STRING LONGSTRING LONGSTRING ENUMERATION ENUMERATION ENUMERATION ENUMERATION STRING ENUMERATION STRING STRING STRING</p>	<p>The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallellity.</p> <p>8 above/below black</p> <p>Nachfolger</p> <p>No No No No</p> <p>No black NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"</p>

**SUBSET: NOT Adidas Customer->MERGE: Not Adidas Customer with Customer by CustomerNr(Subsequent)**

<p>Transition condition Transition probability Visualized values Positions VisibleAttr AttrRep</p>	<p>STRING STRING ENUMERATION STRING STRING STRING</p>	<p>Denomination EDGE 0 index:18 MIDDLE x:24.43cm y:4.5cm</p> <p>@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo" RELATION</p>
<p>Visualization Comment GraphRep</p>	<p>ENUMERATION STRING STRING</p>	<p>GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL</p>

		<pre> condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } </pre>
AnimRep	STRING	
HlpTxt	STRING	
Connector number	INTEGER	
Representation	ENUMERATION	above/below
Font colour	ENUMERATION	black
Kommentar	STRING	
Info zur Übergangsbedingung	STRING	
Bezeichnung	STRING	Nachfolger
Beschreibung	STRING	
Denomination	STRING	X
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR



"Denomination" ATTR "Description" ATTR  
 "Comment" CHAPTER "Details (BPMN)" ATTR  
 "Auditing" ATTR "Monitoring" ATTR "Default"  
 ATTR "Immediate" ATTR "Category" ATTR "Id"  
 CHAPTER "Details (Simulation)" ATTR "Transition  
 condition" dialog:transcond ATTR "Transition  
 probability"

**GET Customers->MERGE: Not Adidas Customer with Customer by CustomerNr(Subsequent)**

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 2 x1:25cm y1:12cm x2:25cm y2:5cm index:19 MIDDLE x:8.4cm y:12cm
VisibleAttrs	STRING	@INCLUDE
AttrRep	STRING	"db:\attrep_c_REL_CLASS_Subsequent.leo" RELATION
Visualization	ENUMERATION	GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:1.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } }
AnimRep	STRING	
HlpTxt	STRING	The relation 'Subsequent' defines the flow of

Connector number	INTEGER	activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallellity.
Representation	ENUMERATION	10
Font colour	ENUMERATION	above/below
Kommentar	STRING	black
Info zur Übergangsbedingung	STRING	
Bezeichnung	STRING	Nachfolger
Beschreibung	STRING	
Denomination	STRING	Y
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"

**GET Twitter Followers (Cache)->FUZZY JOIN: TwitterFollower and Not Adidas Customer (by nickname and fullname)(Subsequent)**

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 2 x1:36cm y1:15.5cm x2:36cm y2:5cm index:21 MIDDLE x:8.52cm y:15.5cm
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo"
Visualization	ENUMERATION	RELATION
Comment	STRING	
GraphRep	STRING	GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name)

```

SET txt2:(transVal) } ELSE { SET txt1:(name) SET
txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") {
FONT color:black line-orientation:90 } ELSE {
FONT color:black line-orientation:0 } } ELSE { IF (s
= "Yes") { FONT color:whitesmoke
line-orientation:90 } ELSE { FONT
color:whitesmoke line-orientation:0 } } IF (d =
"above/below") { IF (s = "Yes") { IF (txt1 != "") {
TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm
w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:-0.2cm y:0.0cm
w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") {
TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm
w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:0.0cm y:-0.2cm
w:c:(maxTxtWidth) h:b } } IF (d = "left/right") { IF
(s = "Yes") { IF (txt1 != "") { TEXT (txt1)
line-break:rigorous x:0.0cm y:-0.2cm
w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:0.0cm y:0.2cm
w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") {
TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm
w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:-0.2cm y:0.0cm
w:r:(maxTxtWidth) h:c } } }

```

AnimRep STRING  
HlpTxt STRING

The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallellity.

Connector number INTEGER  
Representation ENUMERATION  
Font colour ENUMERATION  
Kommentar STRING  
Info zur Übergangsbedingung STRING  
Bezeichnung STRING  
Beschreibung STRING  
Denomination STRING  
Description LONGSTRING  
\_\_Variants\_\_ LONGSTRING  
Auditing ENUMERATION  
Monitoring ENUMERATION  
Default ENUMERATION  
Immediate ENUMERATION  
Category STRING  
Rotate the visualised values by 90 degrees ENUMERATION  
Color STRING  
Doku STRING

11  
above/below  
black  
Nachfolger  
Y  
No  
No  
No  
No  
No  
No  
black  
NOTEBOOK #----- LANG "en"  
#----- CHAPTER "Description" ATTR  
"Denomination" ATTR "Description" ATTR  
"Comment" CHAPTER "Details (BPMN)" ATTR  
"Auditing" ATTR "Monitoring" ATTR "Default"  
ATTR "Immediate" ATTR "Category" ATTR "Id"  
CHAPTER "Details (Simulation)" ATTR "Transition  
condition" dialog:transcond ATTR "Transition  
probability"

**COMBINE fullname (first\_name + last\_name)->FUZZY JOIN: TwitterFollower and Not Adidas Customer (by nickname and fullname)(Subsequent)**

Transition condition STRING  
Transition probability STRING  
Visualized values ENUMERATION  
Positions STRING  
VisibleAttrs STRING  
AttrRep STRING  
Visualization ENUMERATION  
Comment STRING  
GraphRep STRING

Denomination  
EDGE 0 index:22 MIDDLE x:35.4cm y:4.5cm  
@INCLUDE  
"db:\attrep\_c\_REL\_CLASS\_Subsequent.leo"  
RELATION  
GRAPHREP rounded:0.1cm PEN w:0.05cm  
EDGE AVAL sModelType: "ModelTypeExp"  
START IF ((sModelType = "Business process  
diagram (BPMN 2.0)") OR (sModelType =  
"Choreography diagram (BPMN 2.0)")) { AVAL  
sStandard: "Default" IF (sStandard = "Yes") { LINE  
x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL  
condExpression: "Transition condition" AVAL

<p>AnimRep HlpTxt</p>	<p>STRING STRING</p>	<pre> fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } </pre>
<p>Connector number Representation Font colour Kommentar Info zur Übergangsbedingung Bezeichnung Beschreibung Denomination Description __Variants__ Auditing Monitoring Default Immediate Category Rotate the visualised values by 90 degrees Color Doku</p>	<p>INTEGER ENUMERATION ENUMERATION STRING STRING STRING STRING STRING LONGSTRING LONGSTRING ENUMERATION ENUMERATION ENUMERATION ENUMERATION STRING ENUMERATION STRING STRING</p>	<p>The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallelity.</p> <p>12 above/below black</p> <p>Nachfolger</p> <p>X</p> <p>No No No No</p> <p>No black NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR</p>

"Comment" CHAPTER "Details (BPMN)" ATTR  
 "Auditing" ATTR "Monitoring" ATTR "Default"  
 ATTR "Immediate" ATTR "Category" ATTR "Id"  
 CHAPTER "Details (Simulation)" ATTR "Transition  
 condition" dialog:transcond ATTR "Transition  
 probability"

**FUZZY JOIN: TwitterFollower and Not Adidas Customer (by nickname and fullname)->SELECT:  
 Customer Not Adidas/Follower (distance < 0.2)(Subsequent)**

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 0 index:24
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE
		"db:\attrep_c_REL_CLASS_Subsequent.leo"
Visualization	ENUMERATION	RELATION
Comment	STRING	
GraphRep	STRING	
		GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } }
AnimRep	STRING	
HlpTxt	STRING	
		The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It

Connector number	INTEGER	
Representation	ENUMERATION	
Font colour	ENUMERATION	
Kommentar	STRING	
Info zur Übergangsbedingung	STRING	
Bezeichnung	STRING	
Beschreibung	STRING	Nachfolger
Denomination	STRING	
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"

**SELECT: Customer Not Adidas/Follower (distance < 0.2)->End Event-55012(Subsequent)**

Transition condition	STRING	
Transition probability	STRING	
Visualized values	ENUMERATION	Denomination
Positions	STRING	EDGE 0 index:26
VisibleAttrs	STRING	
AttrRep	STRING	@INCLUDE "db:\attrep_c_REL_CLASS_Subsequent.leo" RELATION
Visualization	ENUMERATION	
Comment	STRING	
GraphRep	STRING	GRAPHREP rounded:0.1cm PEN w:0.05cm EDGE AVAL sModelType: "ModelTypeExp" START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE {

```

FONT color:black line-orientation:0 } } ELSE { IF (s
= "Yes") { FONT color:whitesmoke
line-orientation:90 } ELSE { FONT
color:whitesmoke line-orientation:0 } } IF (d =
"above/below") { IF (s = "Yes") { IF (txt1 != "") {
TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm
w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:-0.2cm y:0.0cm
w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") {
TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm
w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:0.0cm y:-0.2cm
w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF
(s = "Yes") { IF (txt1 != "") { TEXT (txt1)
line-break:rigorous x:0.0cm y:-0.2cm
w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:0.0cm y:0.2cm
w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") {
TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm
w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2)
line-break:rigorous x:-0.2cm y:0.0cm
w:r:(maxTxtWidth) h:c } } }

```

AnimRep STRING  
HlpTxt STRING

The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallellity.  
14  
above/below  
black

Connector number INTEGER  
Representation ENUMERATION  
Font colour ENUMERATION  
Kommentar STRING  
Info zur Übergangsbedingung STRING  
Bezeichnung STRING  
Beschreibung STRING  
Denomination STRING  
Description LONGSTRING  
\_\_Variants\_\_ LONGSTRING  
Auditing ENUMERATION  
Monitoring ENUMERATION  
Default ENUMERATION  
Immediate ENUMERATION  
Category STRING  
Rotate the visualised values by 90 degrees ENUMERATION  
Color STRING  
Doku STRING

Nachfolger

No  
No  
No  
No  
No  
black  
NOTEBOOK #----- LANG "en"  
#----- CHAPTER "Description" ATTR  
"Denomination" ATTR "Description" ATTR  
"Comment" CHAPTER "Details (BPMN)" ATTR  
"Auditing" ATTR "Monitoring" ATTR "Default"  
ATTR "Immediate" ATTR "Category" ATTR "Id"  
CHAPTER "Details (Simulation)" ATTR "Transition  
condition" dialog:transcond ATTR "Transition  
probability"

**MERGE: Not Adidas Customer with Customer by CustomerNr->COMBINE fullname (first\_name + last\_name)(Subsequent)**

Transition condition STRING  
Transition probability STRING  
Visualized values ENUMERATION  
Positions STRING  
VisibleAttrr STRING  
AttrRep STRING  
Visualization ENUMERATION  
Comment STRING  
GraphRep STRING

Denomination  
EDGE 0 index:28  
@INCLUDE  
"db:\attrep\_c\_REL\_CLASS\_Subsequent.leo"  
RELATION  
GRAPHREP rounded:0.1cm PEN w:0.05cm  
EDGE AVAL sModelType: "ModelTypeExp"  
START IF ((sModelType = "Business process  
diagram (BPMN 2.0)") OR (sModelType =  
"Choreography diagram (BPMN 2.0)")) { AVAL  
sStandard: "Default" IF (sStandard = "Yes") { LINE  
x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL  
condExpression: "Transition condition" AVAL  
fromType: "FromType" IF ((condExpression != ""))  
AND ((fromType = "Task") OR (fromType =  
"Sub-Process")) } FILL color:white POLYGON 4

		<pre>x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transVal) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } }</pre>
<p>AnimRep HlpTxt</p>	<p>STRING STRING</p>	<p>The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The 'Subsequent' relation may contain a transition condition when it follows a Decision or Parallelity.</p>
<p>Connector number Representation Font colour Kommentar Info zur Übergangsbedingung Bezeichnung Beschreibung Denomination Description __Variants__ Auditing Monitoring Default Immediate Category Rotate the visualised values by 90 degrees Color Doku</p>	<p>INTEGER ENUMERATION ENUMERATION STRING STRING STRING STRING LONGSTRING LONGSTRING ENUMERATION ENUMERATION ENUMERATION ENUMERATION STRING ENUMERATION STRING STRING</p>	<p>0 above/below black  Nachfolger  No No No No  No black NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id"</p>



CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"

### Start Event-52803->Get Twitter Followers @ADIDAS(Subsequent)

Transition condition STRING  
 Transition probability STRING  
 Visualized values ENUMERATION  
 Positions STRING  
 VisibleAttrs STRING  
 AttrRep STRING  
  
 Visualization ENUMERATION  
 Comment STRING  
 GraphRep STRING

Denomination  
 EDGE 1 x1:2cm y1:19.5cm index:30  
  
 @INCLUDE  
 "db:\attrep\_c\_REL\_CLASS\_Subsequent.leo"  
 RELATION  
  
 GRAPHREP rounded:0.1cm PEN w:0.05cm  
 EDGE AVAL sModelType: "ModelTypeExp"  
 START IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) { AVAL sStandard: "Default" IF (sStandard = "Yes") { LINE x1:-0.7cm y1:-0.1cm x2:-0.5cm y2:0.1cm } AVAL condExpression: "Transition condition" AVAL fromType: "FromType" IF ((condExpression != "") AND ((fromType = "Task") OR (fromType = "Sub-Process"))) { FILL color:white POLYGON 4 x1:0.0cm y1:0.0cm x2:-0.15cm y2:-0.15cm x3:-0.3cm y3:0.0cm x4:-0.15cm y4:0.15cm } } END IF ((sModelType = "Business process diagram (BPMN 2.0)") OR (sModelType = "Choreography diagram (BPMN 2.0)")) FILL color:black POLYGON 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm ELSE POLYLINE 3 x1:-.3cm y1:.1cm x2:0cm y2:0cm x3:-.3cm y3:-.1cm ENDIF MIDDLE AVAL s:"Rotate the visualised values by 90 degrees" AVAL v:"Visualized values" AVAL d:"Representation" AVAL sp:"Language" AVAL cl:"Font colour" SET maxTxtWidth:(4cm) AVAL name:"Denomination" AVAL transCond:"Transition condition" AVAL transVal:"Transition probability" IF (v = "Denomination") { SET txt1:(name) SET txt2:("") } ELSIF (v = "Transition condition") { SET txt1:(transCond) SET txt2:("") } ELSIF (v = "Transition probability") { SET txt1:("") SET txt2:(transVal) } ELSIF (v = "Transition probability and transition condition") { SET txt1:(transCond) SET txt2:(transVal) } ELSIF (v = "Transition probability and denomination") { SET txt1:(name) SET txt2:(transCond) } ELSE { SET txt1:(name) SET txt2:(transCond) } IF (cl = "black") { IF (s = "Yes") { FONT color:black line-orientation:90 } ELSE { FONT color:black line-orientation:0 } } ELSE { IF (s = "Yes") { FONT color:whitesmoke line-orientation:90 } ELSE { FONT color:whitesmoke line-orientation:0 } } IF (d = "above/below") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:c:(maxTxtWidth) h:b } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:0.2cm w:c:(maxTxtWidth) h:t } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:-0.2cm w:c:(maxTxtWidth) h:b } } IF (d = "left/right") { IF (s = "Yes") { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.0cm y:-0.2cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:0.0cm y:0.2cm w:r:(maxTxtWidth) h:c } } ELSE { IF (txt1 != "") { TEXT (txt1) line-break:rigorous x:0.2cm y:0.0cm w:l:(maxTxtWidth) h:c } IF (txt2 != "") { TEXT (txt2) line-break:rigorous x:-0.2cm y:0.0cm w:r:(maxTxtWidth) h:c } } } }

AnimRep STRING  
 HlpTxt STRING

The relation 'Subsequent' defines the flow of activities and decisions in a Business Process. It can be used to link all types of objects with the exception of 'Variable', 'Random generator', 'Resource', 'Aggregation', 'Performance indicator' and 'Performance indicator overview'. The

Connector number	INTEGER	'Subsequent' relation may contain a transition condition when it follows a Decision or Parallellity.
Representation	ENUMERATION	0
Font colour	ENUMERATION	above/below
Kommentar	STRING	black
Info zur Übergangsbedingung	STRING	
Bezeichnung	STRING	Nachfolger
Beschreibung	STRING	
Denomination	STRING	
Description	LONGSTRING	
__Variants__	LONGSTRING	
Auditing	ENUMERATION	No
Monitoring	ENUMERATION	No
Default	ENUMERATION	No
Immediate	ENUMERATION	No
Category	STRING	
Rotate the visualised values by 90 degrees	ENUMERATION	No
Color	STRING	black
Doku	STRING	NOTEBOOK #----- LANG "en" #----- CHAPTER "Description" ATTR "Denomination" ATTR "Description" ATTR "Comment" CHAPTER "Details (BPMN)" ATTR "Auditing" ATTR "Monitoring" ATTR "Default" ATTR "Immediate" ATTR "Category" ATTR "Id" CHAPTER "Details (Simulation)" ATTR "Transition condition" dialog:transcond ATTR "Transition probability"